

### Sustainable recycled design paper

202210

What for	How	Why
<b>Brochures</b> <b>Annual Reports</b> <b>Stationary</b> <b>Posters</b> <b>Calendars</b> <b>Mailings</b> <b>Greeting cards</b> <b>Packaging</b> <b>Self- adhesive labels</b> <b>Non-wet strength labels</b>	<b>Offset printing</b> <b>Thermo-relief printing</b> <b>UV drying</b> <b>Oil- based and UV varnishess</b> <b>Dispersion varnishess</b> <b>Embossing</b> <b>Drilling and perforating</b> <b>Scroring, folding and die cutting</b> <b>Binding</b> <b>Laserprint</b>	<b>Every sheet is unique</b> <b>Distinctive look</b> <b>Made from 100% recycled material (PCW)</b> <b>Optimal printability</b>

### What exactly

Characteristics	Unit					Standards
<b>Grammage</b>	<b>g/m<sup>2</sup></b>	<b>80</b>	<b>120</b>	<b>250</b>	<b>350</b>	<b>EN ISO 563</b>
<b>Caliper</b>	<b>µm</b>	<b>100</b>	<b>150</b>	<b>350</b>	<b>500</b>	<b>EN 20534</b>
<b>Volumen Spec.</b>	<b>cm<sup>3</sup>/g</b>	<b>1,25</b>	<b>1,25</b>	<b>1,4</b>	<b>1,4</b>	<b>DIN 53105</b>
<b>Smoothness</b>	<b>Sek.</b>	<b>20</b>	<b>15</b>	<b>5</b>	<b>3</b>	<b>DIN 53107</b>
<b>Moisture</b>	<b>%</b>	<b>7</b>	<b>7</b>	<b>7</b>	<b>7</b>	<b>EN 202287</b>
<b>Cobb 60 sec</b>	<b>g/m<sup>2</sup></b>	<b>25</b>	<b>25</b>	<b>25</b>	<b>25</b>	<b>DIN 53132</b>



The mark of responsible forestry



Certified by the DQS:  
ISO 9001  
ISO 50001

Given values are targets and are subject to alterations.  
The information given is our current knowledge.  
We recommend own tests before using material for the first time.

reflex-paper.com